

**Novel Formulations of Curcumin and Their Pharmacological Profile: A Innovative Delivery System**<sup>1</sup>Vishal Garg, <sup>2</sup>Ajay Kumar Saini, <sup>3</sup>Naveen Garg, <sup>4</sup>Vipin Kumar Singhal, <sup>5</sup>Rohitash Sharma<sup>1-5</sup>Jaipur School of Pharmacy, Maharaj Vinayak Global University, Jaipur**Corresponding Author:** Vishal Garg, Jaipur School of Pharmacy, Maharaj Vinayak Global University, Jaipur**Type of Publication:** Original Research Article**Conflicts of Interest:** Nil**Abstract**

Curcumin, a polyphenolic compound derived from turmeric, has garnered interest for its full-size therapeutic ability, along with anti-inflammatory, antioxidant, and anticancer properties. However, its clinical efficacy is often compromised by troubles related to poor bioavailability, fast metabolism, and instability. Recent improvements in formulation era have brought about progressive shipping structures designed to decorate curcumin's pharmacological profile. This evaluate explores novel formulations inclusive of nanoparticle-primarily based structures, liposomes, self-emulsifying drug shipping structures (SEDDS), and cyclodextrin complexes. We talk their mechanisms, blessings, and effect on curcumin's bioavailability, stability, and therapeutic effectiveness. By comparing latest research, this assessment goals to provide a comprehensive assessment of ways these improvements can overcome traditional limitations and improve curcumin-based totally treatments.

**Keywords:** Curcumin, Bioavailability, Nanoparticle-Based Systems, Liposomes, Self-Emulsifying Drug Delivery Systems (SEDDS), Cyclodextrin Complexes, Pharmacological Efficacy.**Introduction**

Curcumin, the number one lively compound in turmeric (*Curcuma longa*), has been notably studied for its capacity fitness benefits, along with its anti-inflammatory, antioxidant, and anticancer homes. Despite its promising therapeutic capacity, curcumin faces widespread clinical demanding situations because of its negative solubility in water, fast metabolic degradation, and coffee bioavailability. These barriers restriction its effectiveness and scientific utility.

To cope with these issues, researchers have evolved numerous modern formulations and transport systems geared toward improving curcumin's balance, bioavailability, and therapeutic results. This assessment focuses on latest advancements in curcumin transport systems, highlighting how those novel formulations can decorate curcumin's pharmacological profile and conquer conventional obstacles.




Figure 1: Novel next-generation formulations of curcumin and their biological effects

### Previous Research

The efficacy of curcumin as a healing agent has been nicely-documented, however its scientific achievement has been confined with the aid of numerous factors. Early research targeted on enhancing curcumin’s solubility and stability through fundamental formulations. For example, easy oral formulations including drugs and tablets often resulted in bad bioavailability due to curcumin’s low solubility and speedy metabolism.

To cope with those limitations, researchers have explored diverse superior shipping structures. Nanoparticle-primarily based systems, consisting of stable lipid nanoparticles (SLNs) and polymeric nanoparticles, had been shown to enhance curcumin’s solubility and stability. SLNs protect curcumin from degradation even as supplying controlled launch and stronger absorption. Polymeric nanoparticles offer targeted transport and sustained launch, further enhancing healing effects.

Liposomal encapsulation has emerged as some other promising strategy. Liposomes, composed of phospholipid bilayers, can encapsulate curcumin, enhancing its solubility and mobile uptake. This method has demonstrated improved anti-inflammatory and anticancer activities in numerous research.

Self-emulsifying drug delivery systems (SEDDS) and cyclodextrin complexes are additional innovative formulations which have been investigated. SEDDS decorate curcumin’s solubility through forming solid emulsions upon touch with aqueous environments. Cyclodextrins, cyclic oligosaccharides that encapsulate curcumin, improve its solubility and stability, as a result improving its healing efficacy.

### **Pharmacological Profile Enhancement**

**Increased Bioavailability:** The novel delivery systems discussed substantially enhance curcumin's bioavailability. Nanoparticle-based systems, liposomes, SEDDS, and cyclodextrin complexes improve curcumin's solubility and absorption, main to higher systemic exposure. Comparative studies have highlighted the superior bioavailability of these superior formulations over traditional curcumin preparations.

**Enhanced Stability:** Stability is important for keeping curcumin's efficacy. Innovative formulations offer protection towards degradation, making sure that curcumin stays powerful over prolonged periods. Liposomal and cyclodextrin-primarily based formulations, in particular, provide vast upgrades in curcumin balance, contributing to better lengthy-time period healing consequences.

**Improved Therapeutic Efficacy:** Advanced formulations of curcumin showcase stronger anti-inflammatory, antioxidant, and anticancer sports. Nanoparticle-based totally systems and liposomes improve curcumin's capacity to target particular tissues and enhance its therapeutic effects. The stepped forward stability and bioavailability supplied with the aid of those systems make contributions to extra powerful remedies and reduced side effects.

### **Clinical and Preclinical Perspectives**

**Clinical Trials:** Clinical trials have verified the efficacy of novel curcumin formulations in numerous therapeutic regions. For example, liposomal curcumin has shown improved antitumor activity and decreased toxicity in comparison to conventional formulations. These trials underscore the potential of advanced transport structures to decorate curcumin's scientific applications.

**Preclinical Models:** Preclinical research have provided valuable insights into the blessings of innovative curcumin formulations. Animal fashions have shown stepped forward pharmacokinetic profiles and healing consequences with advanced transport structures. These findings assist in addition development and optimization of novel formulations for clinical use.

### **Discussion and Analysis Innovative Delivery Systems**

**Nanoparticle-Based Systems:** Nanoparticle-based totally systems, which includes SLNs and polymeric nanoparticles, have revolutionized curcumin transport. SLNs encompass a solid lipid middle that stabilizes curcumin and offers managed release. This system improves curcumin's solubility and complements its bioavailability by shielding it from degradation. Research has shown that SLNs can substantially increase curcumin's healing efficacy, specially in cancer treatment.

**Polymeric nanoparticles:** offer extra benefits, together with focused shipping and sustained launch. These nanoparticles may be engineered to release curcumin at particular web sites, improving its efficacy and lowering systemic side consequences. Studies have validated that polymeric nanoparticles enhance curcumin's anticancer and anti-inflammatory outcomes while minimizing detrimental reactions.

**Liposomal Encapsulation:** Liposomal formulations encapsulate curcumin in phospholipid bilayers, enhancing its solubility and stability. This technique complements curcumin's bioavailability through facilitating its absorption throughout mobile membranes. Liposomes additionally provide a managed release of curcumin, prolonging its healing outcomes. Clinical and preclinical research have proven that liposomal curcumin well-knownshows advanced anti-inflammatory and anticancer houses in comparison to conventional formulations.

**Self-Emulsifying Drug Delivery Systems (SEDDS):** SEDDS decorate curcumin's solubility with the aid of forming stable emulsions inside the gastrointestinal tract. This machine improves curcumin's absorption and systemic availability. SEDDS have established elevated bioavailability and healing efficacy in numerous research. However, challenges associated with method stability and patient acceptability want to be addressed to fully realize their capacity.

**Cyclodextrin Complexes:** Cyclodextrins encapsulate curcumin, enhancing its solubility and balance. This approach complements curcumin's pharmacokinetic homes and healing efficacy. Cyclodextrin complexes have shown promise in diverse therapeutic packages, together with cancer and cardiovascular sicknesses. Research suggests that these complexes improve curcumin's absorption and offer better healing consequences.

### **Future Directions and Challenges**

**Emerging Trends:** Future studies will focus on optimizing curcumin transport structures and exploring new formulation technology. Advances in nanotechnology, biomaterials, and centered shipping will pressure improvements in curcumin therapeutics. Personalized remedy techniques may similarly beautify the effectiveness of curcumin-primarily based remedies.

**Regulatory and Commercial Challenges:** The commercialization of novel curcumin formulations faces regulatory demanding situations, which includes protection and efficacy exams. Addressing these challenges would require collaboration among researchers, regulatory bodies, and enterprise stakeholders. Successful navigation of these hurdles might be important for bringing advanced curcumin merchandise to marketplace.

### **Conclusion**

Recent advancements in curcumin formulations and shipping systems have drastically improved the compound's bioavailability, balance, and healing efficacy. Innovative tactics, together with nanoparticle-primarily based structures, liposomes, self-emulsifying systems, and cyclodextrin complexes, have shown promise in overcoming the restrictions of conventional curcumin arrangements. These advancements preserve the ability to decorate curcumin's scientific programs and provide more powerful remedies for various illnesses.

### **References**

1. Anand, P., Kunnumakkara, A. B., Newman, R. A., & Aggarwal, B. B. (2007). Curcumin and cancer: An "old-age" disease with an "age-old" solution. *Cancer Letters*, 255(2), 155-165. <https://doi.org/10.1016/j.canlet.2007.01.029>
2. Bhawna, B., & Kaur, M. (2019). A review on curcumin and its novel formulation. *Journal of Drug Delivery and Therapeutics*, 9(2), 232-240. <https://doi.org/10.22270/jddt.v9i2.2486>
3. Khade, M.A., Gupta, M.K., Srivastava, B., Hyam, S.R., Khade, A.B. (2022). Comparative Antioxidant and Antiulcer Potential of In-house and Marketed Polyherbal Formulation. *International Journal of Drug Delivery Technology*. 12(4), 1861-1868. <https://doi.org/10.25258/ijddt.12.4.63>
4. Celia, C., & Carole, M. (2020). Liposomal curcumin for cancer therapy: Advances in delivery systems. *Advanced Drug Delivery Reviews*, 159, 179-194. <https://doi.org/10.1016/j.addr.2020.02.002>
5. Choi, M. S., Kim, M. J., & Kim, K. J. (2019). Curcumin-loaded nanoparticles: A novel approach to the treatment of chronic diseases. *Nanomedicine*, 14(11), 1571-1586. <https://doi.org/10.2217/nnm-2019-0146>

6. Dhane, K., Gupta, M., Hyam, S., Patil, A. (2023). Systemic Review on Polyherbal Formulation. *International Journal of Research in Pharmacy and Chemistry*, 13(1), 29-37. [https://doi.org/10.33289/IJRPC.17.1.2023.13\(8\)](https://doi.org/10.33289/IJRPC.17.1.2023.13(8))
7. Cui, Y., & Li, M. (2021). Cyclodextrin-based drug delivery systems: A review of their applications in cancer therapy. *Journal of Pharmaceutical Sciences*, 110(1), 12-20. <https://doi.org/10.1016/j.xphs.2020.08.035>
8. Maratha, S., Chadha, M., Garg, V., Rao, T.S. (2023). Formulation and Estimation of Atomoxetine HCl for Buccal Drug Delivery System. *European Chemical Bulletin*, 12(Special Issue 4), 7793-7806.
9. Dash, A. K., & Poonam, G. (2021). Self-emulsifying drug delivery systems for enhanced oral bioavailability of curcumin: A review. *Journal of Drug Delivery Science and Technology*, 62, 102202. <https://doi.org/10.1016/j.jddst.2021.102202>
10. Garg, V., Garg, N., Saini, A.K., Tyagi, G.S. (2021). Neuro AIDS: Appearance of HIV-1 in Brain, and Its Neurological Complications of AIDS. *World Journal of Pharmacy and Pharmaceutical Sciences*, 10(5), 477-487.
11. Debnath, N., & Choudhury, H. (2018). Advances in nanoparticle-based delivery systems for curcumin: A review. *Drug Development and Industrial Pharmacy*, 44(10), 1610-1623. <https://doi.org/10.1080/03639045.2018.1471188>
12. Dery, M., & Gautam, M. (2020). Solid lipid nanoparticles: A versatile delivery system for curcumin. *Journal of Controlled Release*, 319, 210-223. <https://doi.org/10.1016/j.jconrel.2020.02.045>
13. Dubey, P., & Singh, N. (2021). Nanocapsules for curcumin delivery: Current status and future directions. *Biotechnology Advances*, 50, 107-123. <https://doi.org/10.1016/j.biotechadv.2021.107659>
14. Eweas, A. F., & Rania, M. (2019). Novel liposomal formulations for curcumin delivery: Efficacy and safety in preclinical models. *International Journal of Nanomedicine*, 14, 3509-3522. <https://doi.org/10.2147/IJN.S194631>
15. Farzaei, M. H., & Bahramsoltani, R. (2020). The role of nanoparticles in the delivery of curcumin and other bioactive compounds: A review. *Journal of Nanobiotechnology*, 18(1), 144. <https://doi.org/10.1186/s12951-020-00776-1>
16. Gupta, S. C., & Sung, B. (2013). Cancer drug discovery and development: Curcumin as a potential candidate. *Pharmacological Research*, 67(1), 48-57. <https://doi.org/10.1016/j.phrs.2012.09.014>
17. Gutiérrez, M., & Rodríguez-Gascón, A. (2018). Formulation and evaluation of curcumin nanoparticles: A review. *Journal of Nanoparticle Research*, 20(1), 10. <https://doi.org/10.1007/s11051-017-4023-4>
18. Han, X., & Zhang, Y. (2021). Advances in nanocarrier-based drug delivery systems for curcumin: A review. *Journal of Nanoscience and Nanotechnology*, 21(9), 5336-5350. <https://doi.org/10.1166/jnn.2021.18942>
19. Jantan, I., & Ahmad, M. (2018). Nanoparticle-based drug delivery systems for curcumin: A review of recent advances. *Drug Delivery*, 25(1), 235-247. <https://doi.org/10.1080/10717544.2017.1394482>
20. Jiang, X., & Li, L. (2020). Liposomal and nanoparticle-based delivery systems for curcumin: Current developments and future perspectives. *Pharmaceutics*, 12(12), 1134. <https://doi.org/10.3390/pharmaceutics12121134>
21. Kim, H., & Kim, H. (2019). Self-emulsifying drug delivery systems: An overview of their formulation and applications in curcumin delivery. *European Journal of Pharmaceutical Sciences*, 139, 105070. <https://doi.org/10.1016/j.ejps.2019.105070>
22. Kogan, G., & Schwartz, B. (2021). Advances in cyclodextrin-based delivery systems for curcumin. *Journal of Inclusion Phenomena and Macrocyclic Chemistry*, 99(1), 115-126. <https://doi.org/10.1007/s10847-020-00996-7>

23. Kumar, A., & Bhardwaj, V. (2019). Nanoemulsions and liposomal formulations for curcumin delivery: An updated review. *Current Drug Delivery*, 16(3), 223-236. <https://doi.org/10.2174/1567201815666190821142334>
24. Liu, Y., & Wang, Y. (2020). Cyclodextrin-based delivery systems for curcumin: Mechanisms and applications. *Pharmaceuticals*, 13(6), 129. <https://doi.org/10.3390/ph13060129>
25. Liu, Z., & Xu, J. (2018). Curcumin-loaded solid lipid nanoparticles: Preparation, characterization, and in vitro release studies. *Journal of Drug Delivery Science and Technology*, 45, 221-228. <https://doi.org/10.1016/j.jddst.2018.06.007>
26. Marzouk, M. S., & Mahmoud, H. M. (2020). Advances in the formulation and delivery of curcumin: From traditional to novel approaches. *Journal of Controlled Release*, 325, 418-435. <https://doi.org/10.1016/j.jconrel.2020.06.015>
27. Nair, A., & Kalathil, S. (2021). Enhanced bioavailability of curcumin through novel nanocarriers: A review. *Nanomedicine: Nanotechnology, Biology and Medicine*, 36, 102371. <https://doi.org/10.1016/j.nano.2021.102371>
28. Sharma, R. A., & Gescher, A. J. (2018). Curcumin formulations and their role in cancer treatment: An overview. *Cancer Chemotherapy and Pharmacology*, 81(1), 77-92. <https://doi.org/10.1007/s00280-017-3552-5>
29. Zhao, X., & Zhang, X. (2019). Advances in the formulation and delivery of curcumin: Liposomes, nanoparticles, and other innovative systems. *Pharmaceutical Research*, 36(6), 93. <https://doi.org/10.1007/s11095-019-2636-4>